

SureBuilt Manufacturing

Product Catalog



RESIDENTIAL WINDOWS

TABLE OF CONTENTS

Series 1 Buck Parts	4
Series 1 Assembled Frames	5
Series 1 Glass Inserts	6
Series 1 Window Accessories	7
Series 1 Area Well - Buck Mount	8
Series 1 Area Well - Wall Mount	9
Series 1 Area Well Accessories	10
Series 1 & 2 Installation Guide	11

- Frames unassembled. Base material is 18 gauge steel with a G-90 galvanized coating for maximum corrosion resistance and available with white finish coating.
- Vinyl inserts are single or insulated vinyl for maximum energy performance.
- Windows wells are 18 gauge steel with a G-90 galvanized coating for maximum corrosion resistance with a white finish available in either buck or wall mounting configurations.

Series 2 Area Well - Buck Mount	13
Series 2 Area Well - Wall Mount	14
Series 2 Area Well Accessories	15

- Windows wells are 18 gauge steel with a G-90 galvanized coating for maximum corrosion resistance with a white finish available in either buck mount or wall mount style.

Series 3 Window Well System Tier II -Buck Mount and Wall Mount.....	16
Series 3 Window Well System Tier III -Buck Mount	17
Series 3 Window Well System Tier III -Wall Mount	18
Series 3 Mounting Instructions	19

- Exclusive Modular Window Well System.
- Available in both two tier and three tier step well configurations.
- Mounts to window frames or directly to wall.
- All standard sizes available with heights to 96" or more.
- Order wells assembled or as individual modules as needed.
- All wells are 18 gauge steel with a G-90 galvanized coating for maximum corrosion resistance with a white finish.

PRODUCT INDEX**SERIES 1**

Head/Sill 8" Wall Size	4
Jambs 8" Wall Size	4
Head/Sill 9" Wall Size	4
Jambs 9" Wall Size	4
Head/Sill 10" Wall Size	4
Jambs 10" Wall Size	4
Assembled Window Frames 8" Wall Size	5
Assembled Window Frames 9" Wall Size	5
Assembled Window Frames 10" Wall Size	5
Window Braces	5
Vinyl Slider Single Glaze	6
Vinyl Slider Insulated	6
Vinyl Low E Glass	6
Argon Filled Glass Vinyl Slider	6
Replacement Screen Vinyl	7
Replacement Single Vinyl Vent	7
Replacement Insulated Vinyl Vent	7
Plastic Trim Kit	7
Window Slider Latch	7
Window Well - Buck Mount	8
Window Well - Wall Mount	9
Window Well Grates	10
Plastic Covers For Window Well Grates	10
Window Well Ladders	10
Area Well Washers	10


SERIES 2

Window Well - Buck Mount	13
Window Well - Wall Mount	14
Window Well Grates	15
Plastic Covers For Window Well Grates	15
Window Well Ladders	15
Area Well Washers	15


SERIES 3

Tier 2 Window Well - Buck Mount	16
Tier 2 Window Well - Wall Mount	16
Tier 3 Window Well - Buck Mount	17
Tier 3 Window Well - Wall Mount	18


COMPLETE BELOW GRADE WINDOW SYSTEM PRODUCT LINE




Windows




Window Frames




Ladders




**Straight Back
Window Wells**




TIER 2 Step Wells



TIER 3 Step Wells



Metal Grates



Plastic Covers

SERIES 1 HEAVY DUTY BUCK PARTS

18 Gauge Steel with White Finish

HEAD/SILL 8" WALL SIZE			
Size	Type	Part#	Weight/Ea.
3'-0"	HEAD WHITE	SB308HW	8.86
4'-0"	HEAD WHITE	SB408HW	11.30
5'-0"	HEAD WHITE	SB508HW	13.70
6'-0"	HEAD WHITE	SB608HW	16.10


HEAD/SILL 9" WALL SIZE			
Size	Type	Part#	Weight/Ea.
3'-0"	HEAD WHITE	SB309HW	9.39
4'-0"	HEAD WHITE	SB409HW	12.00
5'-0"	HEAD WHITE	SB509HW	14.60
6'-0"	HEAD WHITE	SB609HW	17.15

HEAD/SILL 10" WALL SIZE			
Size	Type	Part#	Weight/Ea.
3'-0"	HEAD WHITE	SB3010HW	9.92
4'-0"	HEAD WHITE	SB4010HW	12.70
5'-0"	HEAD WHITE	SB5010HW	15.50
6'-0"	HEAD WHITE	SB6010HW	18.20


JAMBS 8" WALL SIZE			
Size	Type	Part#	Weight/Ea.
2'-1"	JAMB WHITE	SB218JW	6.70
3'-0"	JAMB WHITE	SB308JW	8.80
3'-6"	JAMB WHITE	SB368JW	9.90
4'-0"	JAMB WHITE	SB408JW	11.20
5'-0"	JAMB WHITE	SB508JW	13.60

JAMBS 9" WALL SIZE			
Size	Type	Part#	Weight/Ea.
2'-1"	JAMB WHITE	SB219JW	7.10
3'-0"	JAMB WHITE	SB309JW	9.35
3'-6"	JAMB WHITE	SB369JW	10.60
4'-0"	JAMB WHITE	SB409JW	11.90
5'-0"	JAMB WHITE	SB509JW	14.50

JAMBS 10" WALL SIZE			
Size	Type	Part#	Weight/Ea.
2'-1"	JAMB WHITE	SB2110JW	7.50
3'-0"	JAMB WHITE	SB3010JW	9.90
3'-6"	JAMB WHITE	SB3610JW	11.30
4'-0"	JAMB WHITE	SB4010JW	12.60
5'-0"	JAMB WHITE	SB5010JW	15.40



Head



Jamb

SERIES 1 HEAVY ASSEMBLED FRAMES
18 Gauge Steel with White Finish
ASSEMBLED WINDOW FRAMES 8" WALL SIZE


Size	Type	Weight/Ea.
3021	WHITE FRAME	31.12
3036	WHITE FRAME	37.52
4036	WHITE FRAME	42.40
4040	WHITE FRAME	45.00
5040	WHITE FRAME	49.80
6040	WHITE FRAME	54.60

ASSEMBLED WINDOW FRAMES 9" WALL SIZE

Size	Type	Weight/Ea.
3021	WHITE FRAME	32.98
3036	WHITE FRAME	39.98
4036	WHITE FRAME	45.20
4040	WHITE FRAME	47.80
5040	WHITE FRAME	53.00
6040	WHITE FRAME	58.10


ASSEMBLED WINDOW FRAMES 10" WALL SIZE

Size	Type	Weight/Ea.
3021	WHITE FRAME	34.84
3036	WHITE FRAME	42.44
4036	WHITE FRAME	48.00
4040	WHITE FRAME	50.60
5040	WHITE FRAME	56.20
6040	WHITE FRAME	61.60


WINDOW BRACES

Size	Description	Part#
3021	SERIES I WINDOW BRACE ROYAL BLUE	SB3021BRA
3036	SERIES I WINDOW BRACE ROYAL BLUE	SB3036BRA
4036	SERIES I WINDOW BRACE ROYAL BLUE	SB4036BRA
4040	SERIES I WINDOW BRACE ROYAL BLUE	SB4040BRA

Custom braces available upon request.



SERIES 1 WINDOW GLASS INSERTS

VINYL SLIDER SINGLE GLAZE			
Size	Description	Part#	Weight/Ea.
3021	SINGLE VINYL SLIDER S1	SB3021SVG	29.00
3036	O/S SINGLE VINYL SLIDER S1	SB3036SVG	38.00
4036	SINGLE VINYL SLIDER S1	SB4036SVG	41.00
4040	SINGLE VINYL SLIDER S1	SB4040SVG	43.00

All 3036 and larger single vinyl sliders come with trim kits.

VINYL SLIDER INSULATED			
Size	Description	Part#	Weight/Ea.
3021	INSULATED VINYL SLIDER S1	SB3021VG	33.00
3036	O/S INSULATED VINYL SLIDER S1	SB3036VG	42.00
4036	INSULATED VINYL SLIDER S1	SB4036VG	46.00
4040	INSULATED VINYL SLIDER S1	SB4040VG	48.00
5040	INSULATED VINYL SLIDER S1	SB5040VG	62.00
6040	INSULATED VINYL SLIDER S1	SB6040VG	79.00



All 3036 and larger single vinyl sliders come with trim kits.
Custom sizes available upon request.

VINYL LOW E GLASS		
Size	Description	Part#
3036	LOW E VINYL SLIDER S1	SB3036VILE
4036	LOW E VINYL SLIDER S1	SB4036VILE
4040	LOW E VINYL SLIDER S1	SB4040VILE
5040	LOW E VINYL SLIDER S1	SB5040VILE

Custom sizes available upon request.


VINYL ARGON FILLED GLASS		
Size	Description	Part#
3036	ARGON FILLED GLASS VINYL SLIDER S1	SB3036VILEA
4036	ARGON FILLED GLASS VINYL SLIDER S1	SB4036VILEA
4040	ARGON FILLED GLASS VINYL SLIDER S1	SB4040VILEA

Custom sizes available upon request.




SERIES 1 WINDOW ACCESSORIES

ACCESSORIES - REPLACEMENTS		
Size	Description	Part#
3021	REPLACEMENT SCREEN VINYL S1	SB3021BKV
3036	REPLACEMENT SCREEN VINYL O/S S1	SB3036BKV
4036	REPLACEMENT SCREEN VINYL S1	SB4036BKV
4040	REPLACEMENT SCREEN VINYL S1	SB4040VS
5040	REPLACEMENT SCREEN VINYL S1	SB5040BKV
6040	REPLACEMENT SCREEN VINYL S1	SB6040BKV
3021	REPLACEMENT SINGLE VINYL VENT S1	SB3021RSV
3036	REPLACEMENT SINGLE VINYL VENT S1	SB3036RSV
4036	REPLACEMENT SINGLE VINYL VENT S1	SB4036RSV
4040	REPLACEMENT SINGLE VINYL VENT S1	SB4040RSV
3021	REPLACEMENT INS VINYL VENT S1	SB3021RIV
3036	REPLACEMENT INS VINYL VENT S1	SB3036RIV
4036	REPLACEMENT INS VINYL VENT S1	SB4036RIV
4040	REPLACEMENT INS VINYL VENT S1	SB4040RIV
5040	REPLACEMENT INS VINYL VENT S1	SB5040RIV
6040	REPLACEMENT INS VINYL VENT S1	SB6040RIV
3036	PLASTIC TRIM KIT (4 PIECES)	SB3036PTK
4036	PLASTIC TRIM KIT (4 PIECES)	SB4036PTK
4040	PLASTIC TRIM KIT (4 PIECES)	SB4040PTK
5040	PLASTIC TRIM KIT (4 PIECES)	SB5040PTK
6040	PLASTIC TRIM KIT (4 PIECES)	SB6040PTK



**VINYL VENT
SINGLE & INSULATED**

WINDOW SLIDER LATCH	
Description	Part#
WINDOW SLIDER LATCH	SBWSL1316



SERIES 1 HEAVY DUTY AREA WELL


WINDOW WELL - BUCK MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible with Frame
4020	12"	S1 WHITE AREA WELL	SBA402012	15.00	3021
4020	24"	S1 WHITE AREA WELL	SBA402024	23.00	
4020	36"	S1 WHITE AREA WELL	SBA402036	35.00	
4024	12"	S1 WHITE AREA WELL	SBA402412	16.00	3036
4024	24"	S1 WHITE AREA WELL	SBA402424	25.00	
4024	36"	S1 WHITE AREA WELL	SBA402436	39.00	
4024	48"	S1 WHITE AREA WELL	SBA402448	49.00	
4024	60"	S1 WHITE AREA WELL	SBA402460	62.00	
4024	72"	S1 WHITE AREA WELL	SBA402472	79.00	
4024	84"	S1 WHITE AREA WELL	SBA402484	94.00	
5224	12"	S1 WHITE AREA WELL	SBA522412	19.00	4036 4040
5224	24"	S1 WHITE AREA WELL	SBA522424	29.00	
5224	36"	S1 WHITE AREA WELL	SBA522436	45.00	
5224	48"	S1 WHITE AREA WELL	SBA522448	57.00	
5224	60"	S1 WHITE AREA WELL	SBA522460	72.00	
5224	72"	S1 WHITE AREA WELL	SBA522472	90.00	
5224	84"	S1 WHITE AREA WELL	SBA522484	102.00	
5236	12"	S1 WHITE AREA WELL	SBA523612	23.00	4036 4040
5236	24"	S1 WHITE AREA WELL	SBA523624	36.00	
5236	36"	S1 WHITE AREA WELL	SBA523636	55.00	
5236	48"	S1 WHITE AREA WELL	SBA523648	68.00	
5236	60"	S1 WHITE AREA WELL	SBA523660	87.00	
5236	72"	S1 WHITE AREA WELL	SBA523672	109.00	
5236	84"	S1 WHITE AREA WELL	SBA523684	124.00	
6424	12"	S1 WHITE AREA WELL	SBA642412	21.00	5040
6424	24"	S1 WHITE AREA WELL	SBA642424	33.00	
6424	36"	S1 WHITE AREA WELL	SBA642436	51.00	
6424	48"	S1 WHITE AREA WELL	SBA642448	65.00	
6424	60"	S1 WHITE AREA WELL	SBA642460	82.00	
6424	72"	S1 WHITE AREA WELL	SBA642472	103.00	
6424	84"	S1 WHITE AREA WELL	SBA642484	116.00	
6436	12"	S1 WHITE AREA WELL	SBA643612	25.00	5040
6436	24"	S1 WHITE AREA WELL	SBA643624	40.00	
6436	36"	S1 WHITE AREA WELL	SBA643636	61.00	
6436	48"	S1 WHITE AREA WELL	SBA643648	76.00	
6436	60"	S1 WHITE AREA WELL	SBA643660	97.00	
6436	72"	S1 WHITE AREA WELL	SBA643672	121.00	
6436	84"	S1 WHITE AREA WELL	SBA643684	138.00	
7624	12"	S1 WHITE AREA WELL	SBA762412	24.00	6040
7624	24"	S1 WHITE AREA WELL	SBA762424	38.00	
7624	36"	S1 WHITE AREA WELL	SBA762436	58.00	
7624	48"	S1 WHITE AREA WELL	SBA762448	72.00	
7624	60"	S1 WHITE AREA WELL	SBA762472	92.00	
7624	72"	S1 WHITE AREA WELL	SBA762472	115.00	
7624	84"	S1 WHITE AREA WELL	SBA762484	131.00	
7636	12"	S1 WHITE AREA WELL	SBA763612	28.00	6040
7636	24"	S1 WHITE AREA WELL	SBA763624	44.00	
7636	36"	S1 WHITE AREA WELL	SBA763636	67.00	
7636	48"	S1 WHITE AREA WELL	SBA763648	84.00	
7636	60"	S1 WHITE AREA WELL	SBA763660	107.00	
7636	72"	S1 WHITE AREA WELL	SBA763672	134.00	
7636	84"	S1 WHITE AREA WELL	SBA763684	152.00	



Designed to anchor to the bolts provided in the window frames

SERIES 1 HEAVY DUTY AREA WELL


WINDOW WELL - WALL MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible with Frame
4624	12"	S1 WHITE AREA WELL	SBA462412	17.00	3021 3036
4624	24"	S1 WHITE AREA WELL	SBA462424	27.00	
4624	36"	S1 WHITE AREA WELL	SBA462436	41.00	
4624	48"	S1 WHITE AREA WELL	SBA462448	52.00	
4624	60"	S1 WHITE AREA WELL	SBA462460	66.00	
4624	72"	S1 WHITE AREA WELL	SBA462472	82.00	
4624	84"	S1 WHITE AREA WELL	SBA462484	99.00	
4636	12"	S1 WHITE AREA WELL	SBA463612	22.00	2630 3036
4636	24"	S1 WHITE AREA WELL	SBA463624	43.00	
4636	36"	S1 WHITE AREA WELL	SBA463648	64.00	
4636	48"	S1 WHITE AREA WELL	SBA463648	86.00	
4636	60"	S1 WHITE AREA WELL	SBA463660	107.00	
4636	72"	S1 WHITE AREA WELL	SBA463672	128.00	
4636	84"	S1 WHITE AREA WELL	SBA463684	150.00	
5624	12"	S1 WHITE AREA WELL	SBA562412	20.00	4036 4040
5624	24"	S1 WHITE AREA WELL	SBA562424	31.00	
5624	36"	S1 WHITE AREA WELL	SBA562436	47.00	
5624	48"	S1 WHITE AREA WELL	SBA562448	59.00	
5624	60"	S1 WHITE AREA WELL	SBA562460	75.00	
5624	72"	S1 WHITE AREA WELL	SBA562472	94.00	
5624	84"	S1 WHITE AREA WELL	SBA562484	107.00	
5636	12"	S1 WHITE AREA WELL	SBA563612	24.00	4036 4040
5636	24"	S1 WHITE AREA WELL	SBA563624	37.00	
5636	36"	S1 WHITE AREA WELL	SBA563636	60.00	
5636	48"	S1 WHITE AREA WELL	SBA563648	71.00	
5636	60"	S1 WHITE AREA WELL	SBA563660	90.00	
5636	72"	S1 WHITE AREA WELL	SBA563672	120.00	
5636	84"	S1 WHITE AREA WELL	SBA563684	158.00	
6824	12"	S1 WHITE AREA WELL	SBA682412	22.00	5040
6824	24"	S1 WHITE AREA WELL	SBA682424	35.00	
6824	36"	S1 WHITE AREA WELL	SBA682436	57.00	
6824	48"	S1 WHITE AREA WELL	SBA682448	67.00	
6824	60"	S1 WHITE AREA WELL	SBA682460	85.00	
6824	72"	S1 WHITE AREA WELL	SBA682472	114.00	
6824	84"	S1 WHITE AREA WELL	SBA682484	150.00	
6836	12"	S1 WHITE AREA WELL	SBA683612	26.00	5040
6836	24"	S1 WHITE AREA WELL	SBA683624	41.00	
6836	36"	S1 WHITE AREA WELL	SBA683636	67.00	
6836	48"	S1 WHITE AREA WELL	SBA683648	79.00	
6836	60"	S1 WHITE AREA WELL	SBA683660	100.00	
6836	72"	S1 WHITE AREA WELL	SBA683672	133.00	
6836	84"	S1 WHITE AREA WELL	SBA683684	175.00	
8024	12"	S1 WHITE AREA WELL	SBA802412	25.00	6040
8024	24"	S1 WHITE AREA WELL	SBA802424	39.00	
8024	36"	S1 WHITE AREA WELL	SBA802436	60.00	
8024	48"	S1 WHITE AREA WELL	SBA802448	75.00	
8024	60"	S1 WHITE AREA WELL	SBA802460	95.00	
8024	72"	S1 WHITE AREA WELL	SBA802472	119.00	
8024	84"	S1 WHITE AREA WELL	SBA802484	135.00	
8036	12"	S1 WHITE AREA WELL	SBA802412	29.00	6040
8036	24"	S1 WHITE AREA WELL	SBA802424	45.00	
8036	36"	S1 WHITE AREA WELL	SBA802436	69.00	
8036	48"	S1 WHITE AREA WELL	SBA802448	87.00	
8036	60"	S1 WHITE AREA WELL	SBA802460	110.00	
8036	72"	S1 WHITE AREA WELL	SBA802472	138.00	
8036	84"	S1 WHITE AREA WELL	SBA802484	156.00	



Designed to anchor to the concrete wall
(Anchors are not provided by SureBuilt Manufacturing)

SERIES 1 AREA WELL ACCESSORIES

WINDOW WELL GRATES			
Size	Description	Part#	Weight/Ea.
4020	WINDOW WELL GRATE	SBG4020BK	23.00
4024	WINDOW WELL GRATE	SBG4024BK	25.00
4624	WINDOW WELL GRATE	SBG4624	28.00
4636	WINDOW WELL GRATE	SBG4636	41.00
5224	WINDOW WELL GRATE	SBG5224	31.00
5236	WINDOW WELL GRATE	SBG5236	43.00
5624	WINDOW WELL GRATE	SBG5624BK	31.00
5636	WINDOW WELL GRATE	SBG5636	47.00
6424	WINDOW WELL GRATE	SBG6424	37.00
6436	WINDOW WELL GRATE	SBG6436BK	53.00
6824	WINDOW WELL GRATE	SBG6824	38.00
6836	WINDOW WELL GRATE	SBG6836	54.00
7624	WINDOW WELL GRATE	SBG7624BK	43.00
7636	WINDOW WELL GRATE	SBG7636BK	61.00
8024	WINDOW WELL GRATE	SBG8024	43.00
8036	WINDOW WELL GRATE	SBG8036	62.00



PLASTIC COVERS FOR WINDOW WELL GRATES		
Size	Description	Part#
4020	S1 PLASTIC COVER	SBC4020
4024	S1 PLASTIC COVER	SBC4024
5224	S1 PLASTIC COVER	SBC5224
5236	S1 PLASTIC COVER	SBC5236
5624	S1 PLASTIC COVER	SBC5624
5636	S1 PLASTIC COVER	SBC5636



Custom sizes available upon request.


WINDOW WELL LADDERS			
Size	Description	Part#	Weight/Ea.
4'0"	3 RUNG LADDER	SBLAD3RG	9.00
5'0"	4 RUNG LADDER	SBLAD4RG	11.50
6'0"	5 RUNG LADDER	SBLAD5RG	13.00



Custom sizes available upon request.


AREA WELL WASHERS		
Packaging/Box	Description	Part#
500	AREA WELL WASHER	SBWWW



SERIES 1 AND SERIES 2 INSTALLATION GUIDE

Installation:

1. "Series 1" window frames include pre-drilled holes and tie slots for quick installation.
2. The window wells attached to pre-installed fasteners on the frames making install time under one minute.
3. Designed for installation with the "Series 1" window frames, windows snap easily into place providing an exact fit and weather-proof seal.
4. Window well grates are designed to keep people and pets out of the window well and providing maximum natural light into the lower level living space.
5. Window well ladders - safety ladders are designed to assist people in emergency escape. Attached to the top of window well with holes which provided for permanent attachment.


SERIES 1 AND SERIES 2 INSTALLATION GUIDE



WALL SECTION THROUGH WINDOW WELL

SERIES 2 HEAVY DUTY AREA WELL


WINDOW WELL - BUCK MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible with Frame
4924	12"	S2 WHITE AREA WELL	SBA492412	17.00	4036 4040
4924	24"	S2 WHITE AREA WELL	SBA492424	35.00	
4924	36"	S2 WHITE AREA WELL	SBA492436	51.00	
4924	48"	S2 WHITE AREA WELL	SBA492448	68.00	
4924	60"	S2 WHITE AREA WELL	SBA492460	86.00	
4924	72"	S2 WHITE AREA WELL	SBA492472	104.00	
4924	84"	S2 WHITE AREA WELL	SBA492484	122.00	4036 4040
4936	12"	S2 WHITE AREA WELL	SBA493612	22.00	
4936	24"	S2 WHITE AREA WELL	SBA493624	44.00	
4936	36"	S2 WHITE AREA WELL	SBA493636	67.00	
4936	48"	S2 WHITE AREA WELL	SBA493648	87.00	
4936	60"	S2 WHITE AREA WELL	SBA493660	108.00	
4936	72"	S2 WHITE AREA WELL	SBA493672	130.00	
4936	84"	S2 WHITE AREA WELL	SBA493684	154.00	5040
6124	12"	S2 WHITE AREA WELL	SBA612412	20.00	
6124	24"	S2 WHITE AREA WELL	SBA612424	41.00	
6124	36"	S2 WHITE AREA WELL	SBA612436	60.00	
6124	48"	S2 WHITE AREA WELL	SBA612448	77.00	
6124	60"	S2 WHITE AREA WELL	SBA612460	98.00	
6124	72"	S2 WHITE AREA WELL	SBA612472	119.00	
6124	84"	S2 WHITE AREA WELL	SBA612484	141.00	5040
6136	12"	S2 WHITE AREA WELL	SBA613612	24.00	
6136	24"	S2 WHITE AREA WELL	SBA613624	49.00	
6136	36"	S2 WHITE AREA WELL	SBA613636	73.00	
6136	48"	S2 WHITE AREA WELL	SBA613648	94.00	
6136	60"	S2 WHITE AREA WELL	SBA613660	119.00	
6136	72"	S2 WHITE AREA WELL	SBA613672	145.00	
6136	84"	S2 WHITE AREA WELL	SBA613684	169.00	



**Designed to anchor to the bolts
provided in the window frames**

SERIES 2 HEAVY DUTY AREA WELL


WINDOW WELL - WALL MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible with Frame
4224	36"	S2 WHITE AREA WELL	SBA422436	49.00	2630
4224	48"	S2 WHITE AREA WELL	SBA422448	63.00	
4224	60"	S2 WHITE AREA WELL	SBA422460	77.00	
4224	72"	S2 WHITE AREA WELL	SBA422472	91.00	
4236	48"	S2 WHITE AREA WELL	SBA423648	79.00	2630 3036
4236	60"	S2 WHITE AREA WELL	SBA423660	93.00	
4236	72"	S2 WHITE AREA WELL	SBA423672	111.00	
4620	48"	S2 WHITE AREA WELL	SBA462048	60.00	2630 3036
4620	60"	S2 WHITE AREA WELL	SBA462060	73.00	
4620	72"	S2 WHITE AREA WELL	SBA462072	86.00	
4624	12"	S2 WHITE AREA WELL	SBA462412	18.00	2630 3036
4624	24"	S2 WHITE AREA WELL	SBA462424	37.00	
4624	36"	S2 WHITE AREA WELL	SBA462436	56.00	
4624	48"	S2 WHITE AREA WELL	SBA462448	72.00	
4624	60"	S2 WHITE AREA WELL	SBA462460	88.00	
4624	72"	S2 WHITE AREA WELL	SBA462472	105.00	
4624	84"	S2 WHITE AREA WELL	SBA462484	127.00	
4636	12"	S2 WHITE AREA WELL	SBA463612	22.00	2630 3036
4636	24"	S2 WHITE AREA WELL	SBA463624	43.00	
4636	36"	S2 WHITE AREA WELL	SBA463636	64.00	
4636	48"	S2 WHITE AREA WELL	SBA463648	86.00	
4636	60"	S2 WHITE AREA WELL	SBA463660	107.00	
4636	72"	S2 WHITE AREA WELL	SBA463672	128.00	
4636	84"	S2 WHITE AREA WELL	SBA463684	150.00	
5524	12"	S2 WHITE AREA WELL	SBA552412	18.00	4036 4040
5524	24"	S2 WHITE AREA WELL	SBA552424	37.00	
5524	36"	S2 WHITE AREA WELL	SBA552436	56.00	
5524	48"	S2 WHITE AREA WELL	SBA552448	72.00	
5524	60"	S2 WHITE AREA WELL	SBA552460	88.00	
5524	72"	S2 WHITE AREA WELL	SBA552472	105.00	
5524	84"	S2 WHITE AREA WELL	SBA552484	127.00	4036 4040
5536	12"	S2 WHITE AREA WELL	SBA553612	22.00	
5536	24"	S2 WHITE AREA WELL	SBA553624	43.00	
5536	36"	S2 WHITE AREA WELL	SBA553636	70.00	
5536	48"	S2 WHITE AREA WELL	SBA553648	90.00	
5536	60"	S2 WHITE AREA WELL	SBA553660	110.00	
5536	72"	S2 WHITE AREA WELL	SBA553672	130.00	
5536	84"	S2 WHITE AREA WELL	SBA553684	155.00	5040
6724	12"	S2 WHITE AREA WELL	SBA672412	20.00	
6724	24"	S2 WHITE AREA WELL	SBA672424	41.00	
6724	36"	S2 WHITE AREA WELL	SBA672436	63.00	
6724	48"	S2 WHITE AREA WELL	SBA672448	81.00	
6724	60"	S2 WHITE AREA WELL	SBA672460	99.00	
6724	72"	S2 WHITE AREA WELL	SBA672472	117.00	
6724	84"	S2 WHITE AREA WELL	SBA672484	141.00	
6736	12"	S2 WHITE AREA WELL	SBA673612	24.00	5040
6736	24"	S2 WHITE AREA WELL	SBA673624	49.00	
6736	36"	S2 WHITE AREA WELL	SBA673636	77.00	
6736	48"	S2 WHITE AREA WELL	SBA673648	99.00	
6736	60"	S2 WHITE AREA WELL	SBA673660	121.00	
6736	72"	S2 WHITE AREA WELL	SBA673672	143.00	
6736	84"	S2 WHITE AREA WELL	SBA673684	169.00	



Designed to anchor to the concrete wall
(Anchors are not provided by SureBuilt Manufacturing)

SERIES 2 AREA WELL ACCESSORIES

WINDOW WELL GRATES			
Size	Description	Part#	Weight/Ea.
4224	WINDOW WELL GRATE	SBG4224	24.00
4236	WINDOW WELL GRATE	SBG4236	26.00
4620	WINDOW WELL GRATE	SBG4620	24.00
4624	WINDOW WELL GRATE	SBG4624	25.00
4636	WINDOW WELL GRATE	SBG4636	28.00
4924	WINDOW WELL GRATE	SBG4924	27.00
4936	WINDOW WELL GRATE	SBG4936	29.00
5524	WINDOW WELL GRATE	SBG5524	31.00
5536	WINDOW WELL GRATE	SBG5536	47.00
6124	WINDOW WELL GRATE	SBG6124	26.00
6136	WINDOW WELL GRATE	SBG6136	34.00
6724	WINDOW WELL GRATE	SBG6724	28.00
6736	WINDOW WELL GRATE	SBG6736	36.00



PLASTIC COVERS FOR WINDOW WELL GRATES		
Size	Description	Part#
4224	S2 PLASTIC COVER	SB4224CP2
4236	S2 PLASTIC COVER	SB4236CP2
4924	S2 PLASTIC COVER	SBC4924
4936	S2 PLASTIC COVER	SBC4936
5524	S2 PLASTIC COVER	SBC5524
5536	S2 PLASTIC COVER	SBC5536

Custom sizes available upon request.



WINDOW WELL LADDERS			
Size	Description	Part#	Weight/Ea.
4'0"	3 RUNG LADDER	SBLAD3RG	9.00
5'0"	4 RUNG LADDER	SBLAD4RG	11.50
6'0"	5 RUNG LADDER	SBLAD5RG	13.00

Custom sizes available upon request.




AREA WELL WASHERS		
Packaging/Box	Description	Part#
500	AREA WELL WASHER	SBWWW



SERIES 3 WINDOW WELL SYSTEM - TIER 2


TIER 2 WINDOW WELL - BUCK MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible
49 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2493660W	109.00	S2
52 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2523660W	114.00	S1
61 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2613660W	140.00	S2
64 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2643660W	146.00	S1
76 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2763660W	152.00	S1
EGRESS					
49 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2494860W	136.00	S2
52 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2524890W	142.00	S1
61 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2614860W	148.00	S2
64 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2644860W	152.00	S1
76 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2764860W	161.00	S1
49 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2494872W	122.00	S2
52 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2524872W	126.00	S1
61 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2614872W	164.00	S2
64 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2644872W	167.00	S1
49 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2494884W	170.00	S2
52 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2524884W	175.00	S1
61 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2614884W	187.00	S2
64 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2644884W	196.00	S1
49 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2494896W	156.00	S2
52 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2524896W	161.00	S1
61 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2614896W	187.00	S2
64 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2644896W	193.00	S1



TIER 2 WINDOW WELL - WALL MOUNT					
Width & Projection	Height	Description	Part#	Weight	Compatible
55 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2553660W	117.00	S2
56 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2563660W	119.00	S1
67 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2673660W	126.00	S2
68 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2683660W	129.00	S1
79 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2793660W	161.00	S2
80 24/36	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2803660W	168.00	S1
EGRESS					
55 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2554860W	142.00	S2
56 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2564860W	149.00	S2
67 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2674860W	153.00	S2
68 36/48	60 (24/42)	S3 TIER 2 WHITE STEPWELL	S3T2684860W	159.00	S1
55 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2554872W	169.00	S2
56 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2564872W	173.00	S1
67 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2674872W	179.00	S2
68 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2684872W	183.00	S1
79 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2794872W	189.00	S2
80 36/48	72 (36/42)	S3 TIER 2 WHITE STEPWELL	S3T2804872W	202.00	S1
55 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2554884W	191.00	S2
56 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2564884W	198.00	S1
67 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2674884W	202.00	S2
68 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2684884W	209.00	S1
79 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2794884W	216.00	S2
80 36/48	84 (42/48)	S3 TIER 2 WHITE STEPWELL	S3T2804884W	221.00	S1
55 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2554896W	201.00	S2
56 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2564896W	206.00	S1
67 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2674896W	229.00	S2
68 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2684896W	234.00	S1
79 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2794896W	241.00	S2
80 36/48	96 (42/60)	S3 TIER 2 WHITE STEPWELL	S3T2804896W	245.00	S1


SERIES 3 WINDOW WELL SYSTEM - TIER 3

TIER 3 WINDOW WELL - BUCK MOUNT					
Width & Projection	Height	Description	Part#	Weight	Com- patible
STEP HEIGHT - 60 (24/24/24)					
49 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3493660W	119.00	S2
52 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3523660W	123.00	S1
61 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3613660W	197.00	S2
64 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3643660W	203.00	S1
76 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3763660W	212.00	S1
EGRESS STEP HEIGHT - 60 (24/24/24)					
49 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3494860W	146.00	S2
52 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3524860W	153.00	S1
61 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3614860W	167.00	S2
64 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3644860W	171.00	S1
76 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3764860W	182.00	S1
EGRESS STEP HEIGHT - 72 (24/24/36)					
49 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3494872W	173.00	S2
52 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3524872W	181.00	S1
61 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3614872W	193.00	S2
64 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3644872W	206.00	S1
76 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3764872W	217.00	S1
EGRESS STEP HEIGHT - 84 (24/36/36)					
49 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3494884W	173.00	S2
52 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3524884W	179.00	S1
61 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3614884W	184.00	S2
64 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3644884W	189.00	S1
EGRESS STEP HEIGHT - 96 (36/36/36)					
49 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3494896W	172.00	S2
52 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3524896W	179.00	S1
61 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3614896W	189.00	S2
64 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3644896W	193.00	S1
76 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3764896W	207.00	S1



SERIES 3 WINDOW WELL SYSTEM - TIER 3

TIER 3 WINDOW WELL - WALL MOUNT					
Width & Projection	Height	Description	Part#	Weight	Com- patible
STEP HEIGHT - 60 (24/24/24)					
55 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3553660W	174.00	S2
56 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3563660W	179.00	S1
67 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3673660W	203.00	S2
68 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3683660W	209.00	S1
79 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3793660W	215.00	S2
80 24/30/36	60	S3 TIER 3 WHITE STEPWELL	S3T3803660W	219.00	S1
EGRESS STEP HEIGHT - 60 (24/24/24)					
55 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3554860W	197.00	S2
56 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3564860W	203.00	S1
67 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3674860W	219.00	S2
68 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3684860W	223.00	S1
79 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3794860W	239.00	S2
80 36/42/48	60	S3 TIER 3 WHITE STEPWELL	S3T3804860W	244.00	S1
EGRESS STEP HEIGHT - 72 (24/24/36)					
55 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3554872W	203.00	S2
56 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3564872W	209.00	S1
67 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3674872W	219.00	S2
68 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3684872W	222.00	S1
79 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3794872W	221.00	S2
80 36/42/48	72	S3 TIER 3 WHITE STEPWELL	S3T3804872W	228.00	S1
EGRESS STEP HEIGHT - 84 (24/36/36)					
55 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3554884W	214.00	S2
56 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3564884W	219.00	S1
67 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3674884W	226.00	S2
68 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3684884W	231.00	S1
79 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3794884W	246.00	S2
80 36/42/48	84	S3 TIER 3 WHITE STEPWELL	S3T3804884W	253.00	S1
EGRESS STEP HEIGHT - 96 (36/36/36)					
55 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3554896W	216.00	S2
56 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3564896W	221.00	S1
67 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3674896W	227.00	S2
68 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3684896W	236.00	S1
79 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3794896W	241.00	S2
80 36/42/48	96	S3 TIER 3 WHITE STEPWELL	S3T3804896W	252.00	S1




SERIES 3 MOUNTING INSTRUCTIONS

Series 3 Area Wells Tier 2 consist of 2 modules and Tier 3 consist of 3 modules with the taller modules always mounted on the bottom. The top of the top area well should be at least 3" above the grade line at the basement wall and the bottom of the area well should be at least 10" below the bottom of the window.

1. Using the above guidelines lay out a horizontal line for the top of the top area well centered on the window opening in the foundation. Layout vertical lines on each side of the window for the area well mounting screws. See Table 1 for the distance between the vertical lines.
2. Refer to figure 1 to find the mounting hole spacing on the vertical lines and mark the hole locations on the lines. Drill the holes for the mounting fasteners.
3. Refer to figure 1 and locate the top holes for the bottom module. Install the bottom module to the wall.
4. Align the bottom corrugation of the next module with the top corrugation of that module and slide the next module to the wall until the mounting holes in the corrugations align with one another. See figure 1. Bolt the area wells together using the supplied 1/4" x 1" long fasteners.
5. Fasten the next module to the basement wall.
6. For Tier 3 repeat steps 4 & 5 to install the top module (Figure 2).
7. Fill the bottom of the bottom module with a minimum of 4" of pea gravel or similar material.
8. Back fill around the walls carefully avoiding big clumps or clods.

Table 1.

AREA WELL WIDTH	DISTANCE BETWEEN VERTICAL LINES
55	57
56	58
67	69
68	70
79	81
80	82



**Figure 1.
Tier 2 Installation**

SERIES 3 MOUNTING INSTRUCTIONS




Figure 2.
Tier 3 Installation

LIMITED WARRANTY

SureBuilt Manufacturing (hereafter known as Supplier) warrants that the Supplier of concrete accessory products sold to Purchaser will be free from defects in materials and workmanship for a period of six (6) months from the date of delivery, and the Supplier will repair, or in its sole discretion, replace, any Product or part thereof found to be defective at the time of delivery if such Product or part is returned (at Purchaser's expense and risk) and received by the Supplier within ten (10) days after the applicable warranty period. Descriptions, representations and other information concerning the Supplier contained in the Supplier's catalogs, advertisements or other promotional materials or statements or representations made by the Supplier's sales agents or representatives shall not be binding upon the Supplier and shall not be part of this limited warranty unless expressly identified in writing as PRODUCT SPECIFICATIONS.

This limited warranty does not cover normal maintenance, or items consumed during installation or normal operations, normal wear and tear, use under circumstances exceeding specifications, use for purposes other than the use for which the Products were intended, abuse, unauthorized repair or alteration, improper installation, failure to follow the Supplier's printed instructions, guidelines and recommendations for installation and use, lack of proper maintenance or damage caused by natural causes such as fire, storm, or flood. Purchaser shall determine the suitability of the Product for his intended use and Purchaser assumes all liabilities and risks whatsoever in connection therewith.

This limited warranty is Purchaser's exclusive remedy. It shall not be deemed to have failed of its essential purpose so long as the Supplier is willing and able to repair or replace defective products or parts thereof in the manner specified. No allowance will be made or repairs made by Purchaser.

Except as herein provided, the Supplier shall not be liable to Purchaser in any manner with respect to the Products. In no event shall the Supplier liability to Purchaser ever exceed the purchase price of the allegedly defective Product. Except as herein provided, the Supplier shall not be liable for transportation, labor or other charges for adjustments, repairs, replacements of parts, installation, or other work, which may be done upon or in connection with the Products sold.

THE SUPPLIER SHALL NOT IN ANY EVENT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE WHATSOEVER, INCLUDING LOST PROFITS, whether arising from any defect in the Products, any use of the Products, from Purchaser's inability to use the Products, or otherwise. This limited warranty applies to only products made by the Supplier.

NO OTHER EXPRESS AND NO IMPLIED WARRANTIES OF ANY TYPE, WHETHER FOR MERCHANTABILITY, FITNESS FOR A PARTICULAR USE, OR OTHERWISE, OTHER THAN THOSE EXPRESSLY SET FORTH ABOVE (WHICH ARE MADE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES) SHALL APPLY TO THE PRODUCTS.

Product Lines



WINDOW WELLS



GLASS INSERTS



GRATES



PLASTIC COVERS



LADDERS

Window Well System



CONCRETE HOPPERS



PVC TREMIE PIPES



PVC ELEPHANT TRUNKS



COLLARS



BAND CLAMPS

Concrete Accessories



PVC COMPONENTS:

- TRASH CHUTES
- HOPPERS
- REINFORCED LINERS
- SAFETY FLAPS



METAL COMPONENTS:

- SUPPORT FRAMES
- OUTRIGGERS
- HOPPER STANDS
- SAFETY FRAMES



ACCESSORIES:

- MANYAL WINCHES
- COUNTERWEIGHT
- CRANE PICKING BARS
- GUIDE ROPES
- BRAKEAWAY CABLES
- DUST FILTERS

Trash Chutes

BOOTS



5 BUCKLE

YELLOW SLUSH



HOSES



DISCHARGE BLUE PVC



AIR 250 PSI RUBBER



SUCTION 65PSI PVC

DISCHARGE CANVAS



HD WATER CONTRACTOR PVC

PLASTIC EXTRUSIONS

EXPANSION JOINT CAP PVC



ZIP STRIP PVC



Contractor Equipment

SureBuilt Manufacturing

WAREHOUSE & MANUFACTURING

840 South 25th Avenue • Bellwood, IL 60104 • Tel. (708) 493-9569 • Fax (708) 493-9601

CORPORATE OFFICE

1567 Frontenac Road • Naperville, IL 60563 • Tel. (630) 615-2170 • Fax (630) 615-2182

www.surebuilt-usa.com